"Express Mail" mailing label number EL559726180US
Date of Deposit September 26, 2000
I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.
Olga M. Franz Printed Name Olga Sprature

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Janet M. Hock)

For : METHOD OF INCREASING BONE) Corresponding to: TOUGHNESS AND STIFFNESS AND PCT/US99/18961 REDUCING FRACTURES) Filed: 8/19/99

Docket No. : X11965)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents

Washington, D. C. 20231

Sir:

Prior to examination, please amend the application as follows:

In the Specification

Please amend the specification as follows:

Page 5, line 15, delete text starting with "either" and ending with "compared" and replace with --either 20µg/day PTH or 40µg/day PTH, compared--; and

lines 18 - 19, delete text starting with "either" and ending with "compared" and replace with --either $20\mu g/day$ PTH or $40\mu g/day$ PTH, compared--.

 $\emph{M.E.}$ Page 47, line 7, change " μ g/kg/day" to -- μ g/day--.

In the Claims

Cancel claims 1-8 (which were filed in the PCT case during a personal interview on July 20, 2000) without prejudice.

Please insert the following new claims.

Usins 1-8 filed on PROPOSED CLAIMS FOR DISCUSSION 20 July 2000 of USFormat - Method of Use

1. A method for concurrently reducing the risk of both vertebral and non-vertebral bone fracture in a human subject at risk of or having osteoporosis, said method comprising

administering to said subject a parathyroid hormone consisting of amino acid sequence 1-34 of human parathyroid hormone

without concurrent administration of an antiresorptive agent other than vitamin D or calcium,

in a daily dose of 20 µg or 40 µg for at least about 12 months. up to 3 years.

- 2. The method of claim 1 wherein said human subject is at risk of or has osteoporosis arising from an age-related hypogonadal condition.
 - 3. The method of claim 2 wherein said subject human is a postmenopausal woman.
 - 4. The method of claim 1 wherein said daily dose is 20 μg.
- 5. The method of claim 1 wherein said daily dose is administered for at least about 24 months.

_US Format - Article of Manufacture

An article of manufacture comprising packaging material and a pharmaceutical composition contained within said packaging material, said composition comprising a parathyroid hormone consisting of amino acid sequence 1-34 of human parathyroid and said packaging material comprising printed matter which indicates that

said composition is effective for concurrently reducing the risk of both vertebral and non-vertebral bone fracture in a human subject at risk of or having osteoporosis when administered to said subject such that said parathyroid hormone is administered

without concurrent administration of an antiresorptive agent other than vitamin D or calcium,

in a daily dose of 20 µg or 40 µg for at least about 12 months, of to 3 years.

Bodo of Som

EPO Format New Use

Use of a parathyroid hormone consisting of amino acid sequence 1-34 of human parathyroid hormone for the manufacture of a medicament for concurrently reducing the risk of both vertebral and non-vertebral bone fracture in a human subject at risk of or having osteoporosis,

wherein said medicament is administered to said subject without concurrent administration of an antiresorptive agent other than vitamin D or calcium,

in a daily dose of 20 µg or 40 µg for at least about 12 months, which is 3 years

Use of a medicament of claim 1 for the manufacture of an article of manufacture comprising packaging material and said medicament contained within said packaging material, said medicament comprising a parathyroid hormone consisting of amino acid sequence 1-34 of human parathyroid and

said packaging material comprising printed matter which indicates that

said medicament is effective for concurrently reducing the risk of both vertebral and non-vertebral bone fracture in a human subject at risk of or having osteoporosis when administered to said subject such that said parathyroid hormone is administered

without concurrent administration of an antiresorptive agent other than vitamin D or calcium.

in a daily dose of 20 μg or 40 μg for at least about 12 months μ to 3 years.

add AI